BOBBY JINDAL GOVERNOR



#### HAROLD LEGGETT, PH.D. SECRETARY

#### State of Louisiana

#### DEPARTMENT OF ENVIRONMENTAL QUALITY ENVIRONMENTAL SERVICES

Certified Mail No.

Activity No.: PER20080001 Agency Interest No. 26328

· :{

....

40

Mr. Cordell Grand General Manager Louisiana Energy and Power Authority 210 Venture Way Lafayette, LA 70507

RE: Part 70 Operating Permit, LA Energy & Power Authority (LEPA) - New Roads Power Plant Louisiana Energy & Power Authority (LEPA), New Roads, Pointe Coupee Parish, Louisiana

Dear Mr. Grand:

c: EPA Region VI

This is to inform you that the permit renewal for the above referenced facility has been approved under LAC 33:III.501. The permit is both a state preconstruction and Part 70 Operating Permit. The submittal was approved on the basis of the emissions reported and the approval in no way guarantees the design scheme presented will be capable of controlling the emissions as to the types and quantities stated. A new application must be submitted if the reported emissions are exceeded after operations begin. The synopsis, data sheets and conditions are attached herewith.

It will be considered a violation of the permit if all proposed control measures and/or equipment are not installed and properly operated and maintained as specified in the application.

authorization shall renewal application shall remain in effi- permit renewal. T	expire at midnight n has been submitte fect until such time	on the of d six months prior to exp as the permitting author nd agency interest number	erms and conditions of this permit. This, 2013, unless a timely and complete piration. Terms and conditions of this permit rity takes final action on the application for er cited above should be referenced in future
Done this	day of	, 2008.	
Permit No.: 2260-	-00057-V3		dor
0' 1			0.28
Sincerely,			* .90t
Cheryl Sonnier No Assistant Secretar			tyv Sa

LA Energy & Power Authority (LEPA) - New Roads Power Plant Agency Interest No.: 26328 Louisiana Energy & Power Authority (LEPA) New Roads, Pointe Coupee Parish, Louisiana

#### I. Background

The New Roads Power Plant is an existing power plant facility that is owned by the City of New Roads, but is operated by Louisiana Energy and Power Authority (LEPA). The New Roads Power Plant currently operates under Permit No. 2260-00057-V2, issued July 23, 2003.

This is the Part 70 operating permit renewal for the facility.

#### II. Origin

A permit application and Emission Inventory Questionnaire were submitted by LEPA on January 17, 2008, requesting a Part 70 operating permit renewal. Additional information dated May 20, 2008 was also received.

#### III. Description

The New Roads Power Plant generates electricity using six engines (Emission Points C1, C2, C3, C4, C5, and C6). The engines burn natural gas and No. 2 fuel oil. The engines run only in emergency situations or due to operating constraints. The power plant also has three diesel storage tanks and six cooling towers.

With this modification LEPA proposes to speciate the VOC's and update emissions based off of more accurate AP-42 emission factors.

Estimated emissions in tons per year are as follows:

Pollutant	Before	After ·	Change
$PM_{10}$	4.15	4.09	- 0.06
$SO_2$	30.79	30.79	_
$NO_x$	180.92	195.07	+ 14.15
CO	70.70	70.71	+ 0.01
VOC	12.21	4.49	- 7.72
TSP	4.90	4.82	- 0.08

#### LA Energy & Power Authority (LEPA) - New Roads Power Plant Agency Interest No.: 26328 Louisiana Energy & Power Authority (LEPA) New Roads, Pointe Coupee Parish, Louisiana

VOC LAC 33:III. Chapter 51 Toxic Air Pollutants TAP's	Emissions in Tons per year
Benzene	0.047
Toluene	0.017
Xylenes	0.012
Formaldehyde	0.005
Acetaldehyde	0.001
Naphthalene	0.004
Total TAP's	0.086

#### IV. Type of Review

This permit was reviewed for compliance with 40 CFR 70, the Louisiana Air Quality Regulations and Prevention of Significant Deterioration (PSD). New Source Performance Standards (NSPS) and National Emission Standards for Hazardous Air Pollutants (NESHAP) do not apply.

This facility is a minor source of toxic air pollutants (TAPs) pursuant to LAC 33:III.Chapter 51.

#### V. Credible Evidence

Notwithstanding any other provisions of any applicable rule or regulation or requirement of this permit that state specific methods that may be used to assess compliance with applicable requirements, pursuant to 40 CFR Part 70 and EPA's Credible Evidence Rule, 62 Fed. Reg. 8314 (Feb. 24, 1997), any credible evidence or information relevant to whether a source would have been in compliance with applicable requirements if the appropriate performance or compliance test or procedure had been performed shall be considered for purposes of Title V compliance certifications. Furthermore, for purposes of establishing whether or not a person has violated or is in violation of any emissions limitation or standard or permit condition, nothing in this permit shall preclude the use, including the exclusive use, by any person of any such credible evidence or information.

LA Energy & Power Authority (LEPA) - New Roads Power Plant Agency Interest No.: 26328 Louisiana Energy & Power Authority (LEPA) New Roads, Pointe Coupee Parish, Louisiana

#### VI. Public Notice

A notice requesting public comment on the permit was published in *The Advocate*, Baton Rouge, on <date>, 2008; and in the <local paper>, <local town>, on <date>, 2008. A copy of the public notice was mailed to concerned citizens listed in the Office of Environmental Services Public Notice Mailing List on <date>. The draft permit was also submitted to US EPA Region VI on <date>. All comments will be considered prior to the final permit decision.

#### VII. Effects on Ambient Air

Pollutant	Time Period	Calculated Maximum Ground Level Concentration	Louisiana Toxic Air Pollutant Ambient Air Quality Standard or (National Ambient Air Quality Standard {NAAQS})
NOx	Annual	$21.0  \mu \text{g/m}^3$	$100  \mu g/m^3$

#### VIII. General Condition XVII Activities

None

LA Energy & Power Authority (LEPA) - New Roads Power Plant
Agency Interest No.: 26328
Louisiana Energy & Power Authority (LEPA)
New Roads, Pointe Coupee Parish, Louisiana

#### IX. Insignificant Activities

ID No.:	Description	Citation
	990 gallon Lube Oil Tank No. 1	LAC 33:III.501.B.5.A.3
-	1295 gallon Lube Oil Tank No. 4	LAC 33:III.501.B.5.A.3
-	1295 gallon Lube Oil Tank No. 5	LAC 33:III.501.B.5.A.3
-	345 gallon Diesel Day Tank No. 1	LAC 33:III.501.B.5.A.3
-	345 gallon Diesel Day Tank No. 3	LAC 33:III.501.B.5.A.3
-	345 gallon Diesel Day Tank No. 4	LAC 33:HI.501.B.5.A.3
-	345 gallon Diesel Day Tank No. 5	LAC 33:III.501.B.5.A.3
-	315 gallon Diesel Day Tank No. 6	LAC 33:III.501.B.5.A.3
-	465 gallon Waste Oil Tank	LAC 33:III.501.B.5.A.3
-	12370 gallon Diesel Day Tank No. Tl	LAC 33:III.501.B.5.D
-	12370 gallon Diesel Day Tank No. T2	LAC 33:III.501.B.5.D
-	28370 gallon Diesel Day Tank No. T4	LAC 33:III.501.B.5.D

### LA Energy & Power Authority (LEPA) - New Roads Power Plant Agency Interest No.: 26328 Louisiana Energy & Power Authority (LEPA) New Roads, Pointe Coupee Parish, Louisiana

X. T	Table 1. Applicable Louisiana and Federal A	eral Air Qualit	y Requ	ir Quality Requirements	,				; ,i			
; ;					LAC	LAC 33:III.Chapter	h					
.:0 No::	ID No.: Description	5▲ 509 9 11	13	15 2103	104* 21	15 2103 2104* 2107 2111 2115 2116*	2116* 2	2123 2	22 29*	51*	53* 5	56 59*
UNF 1	Plant Wide	1										$\frac{1}{2}$
EQT 1	C1 Diesel Engine	1	1	1								
EQT 2	C2 Diesel Engine	1	1	1								
ЕОТ 3	C3 Diesel Engine	1 1	1	1			·					
EQT 4	C4 Diesel Engine	1	1	1								
EQT 5	C5 Diesel Engine	$1 \mid 1 \mid 1$	1	1			•					
EQT 6	C6 Diesel Engine	1 1	1	1								
EQT 10	EQT 10 X1 Cooling Tower											-
EQT 11	EQT 11 X2 Cooling Tower				,							
EQT 12	EQT 12 X3 Cooling Tower									_		
EQT 13	EQT 13 X4 Cooling Tower											
EQT 14	EQT 14 X5 Cooling Tower											
EQT 15	EQT 15 X6 Cooling Tower							-				

\* The regulations indicated above are State Only regulations.

्रे इ

•

<sup>▲</sup> All LAC 33.III Chapter 5 citations are federally enforceable including LAC 33:III.501.C.6 citations, except when the requirement found in the "Specific Requirements" report specifically states that the regulation is State Only.

LA Energy & Power Authority (LEPA) - New Roads Power Plant Agency Interest No.: 26328

Louisiana Energy & Power Authority (LEPA) New Roads, Pointe Coupee Parish, Louisiana

### KEY TO MATRIX

- -The regulations have applicable requirements that apply to this particular emission source.
- he emission source may have an exemption from control stated in the regulation. The emission source may not have to be controlled but may have monitoring, recordkeeping, or reporting requirements.
- -The regulations have applicable requirements that apply to this particular emission source but the source is currently exempt from these requirements due to meeting a specific criterion, such as it has not been constructed, modified or reconstructed since the regulations have been in place. If the specific criteria changes the source will have to comply at a future date.
  - -The regulations apply to this general type of emission source (i.e. vents, furnaces, towers, and fugitives) but do not apply to this particular emission source.

Blank - The regulations clearly do not apply to this type of emission source.

# LA Energy & Power Authority (LEPA) - New Roads Power Plant Agency Interest No.: 26328 Louisiana Energy & Power Authority (LEPA) New Roads, Pointe Coupee Parish, Louisiana

									ļ						ĺ
			40	40 CFR 60 NSPS	SN 09	PS			40	40 CFR 63 NESHAP	3 NES	HAP	4(	40 CFR	- 1
ID No.:	ID No.: Description	A K K	Ka Kb	90	Dc	99	KKK		0	HH SS	N.V.	<b>VV</b> ННН	64	89	72
I INF 1	NF 1 Plant Wide		-			-								3	
FOT 1	FOT 1   C1 Diesel Engine		ļ <u>-</u>					2					3		3
EOT 2	C2 Diesel Engine					-		2					3		3
	C3 Diesel Engine							2					3		3
_	C4 Diesel Fneine			ļ				2					3		3
	C5 Diesel Engine		-					2		<u> </u>			3		3
EOT 6	FOT 6 C6 Diesel Engine							7					3		m
EOT 10	EOT 10   X1 Cooling Tower		-						2						
EQT 11	EQT 11 X2 Cooling Tower								2		ļ				
EQT 12	EQT 12 X3 Cooling Tower								7						
EQT 13	EQT 13 X4 Cooling Tower								7						
EQT 14	EQT 14 X5 Cooling Tower								7		_				
EQT 15	EQT 15 X6 Cooling Tower								7		_				

LA Energy & Power Authority (LEPA) - New Roads Power Plant Agency Interest No.: 26328 Louisiana Energy & Power Authority (LEPA)

New Roads, Pointe Coupee Parish, Louisiana

### KEY TO MATRIX

- -The regulations have applicable requirements that apply to this particular emission source.
- -The emission source may have an exemption from control stated in the regulation. The emission source may not have to be controlled but may have monitoring, recordkeeping, or reporting requirements.
- -The regulations have applicable requirements that apply to this particular emission source but the source is currently exempt from these requirements due to meeting a specific criterion, such as it has not been constructed, modified or reconstructed since the regulations have been in place. If the specific criteria changes the source will have to comply at a future date.
  - -The regulations apply to this general type of emission source (i.e. vents, furnaces, towers, and fugitives) but do not apply to this particular emission source.

Blank - The regulations clearly do not apply to this type of emission source

# LA Energy & Power Authority (LEPA) - New Roads Power Plant Agency Interest No.: 26328 Louisiana Energy & Power Authority (LEPA) New Roads, Pointe Coupee Parish, Louisiana

XI. Table 2. E	Explanation for Exemption Status or Non-Applicability of a Source	
1D M.	Demirement	Notes
UNF1 Facility wide	Chemical Accident Prevention and Minimization of Consequences (LAC 33:III.Chapter 59)	DOES NOT APPLY - Threshold quantities are not exceeded
	Chemical Accident Prevention Provision 40 CFR 68	DOES NOT APPLY - Threshold quantities are not exceeded
C1, C2, C3, C4, C5, and C6	Acid Rain Program (40 CFR 72)	DOES NOT APPLY - Name plate ratings are <25 MW
Diesel Engines	Emission Standards for Sulfur Dioxide (LAC 33:III.1503)	EXEMPT – Facility emits less than 100 TPY of sulfur compounds measured as SO <sub>2</sub> and is exempt from both the 2000 ppmv limitation established by 1503.C and the continuous
		emissions monitoring requirement of 1511.A
	40 CFR 64 – Compliance Assurance Monitoring	DOES NOT APPLY – Sources do not use control devices to achieve compliance with an emission limitation or standard. 64.2(a)(2)
	NSPS Subpart IIII – Standards of Performance for Stationary Compression Ignition Internal Combustion Engines	DOES NOT APPLY – Engines manufactured before 2007
X1, X2, X3, X4, X5, and X6	40 CFR 63 Subpart Q - Industrial Process Cooling Towers	DOES NOT APPLY - Cooling Towers will not use chromium-based water treatment chemicals
Cooling Towers		

LA Energy & Power Authority (LEPA) - New Roads Power Plant Agency Interest No.: 26328

Louisiana Energy & Power Authority (LEPA) New Roads, Pointe Coupee Parish, Louisiana The above table provides explanation for both the exemption status or non-applicability of a source cited by 1, 2 or 3 in the matrix presented in Section X (Table 1) of this permit.

- A. The term of this permit shall be five (5) years from date of issuance. An application for a renewal of this 40 CFR Part 70 permit shall be submitted to the administrative authority no later than six months prior to the permit expiration date. Should a complete permit application not be submitted six months prior to the permit expiration date, a facility's right to operate is terminated pursuant to 40 CFR Section 70.7(c)(ii). Operation may continue under the conditions of this permit during the period of the review of the application for renewal. [LAC 33:III.507.E.1, E.3, E.4, reference 40 CFR 70.6(a)(2)]
- B. The conditions of this permit are severable; and if any provision of this permit or the application of any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby. [Reference 40 CFR 70.6(a)(5)]
- C. Permittee shall comply with all conditions of the 40 CFR Part 70 permit. Any permit noncompliance constitutes a violation of the Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application. This permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition. [LAC 33:III.507.B.2, reference 40 CFR 70.6(a)(6)(i) & (iii)]
- D. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. [Reference 40 CFR 70.6(a)(6)(ii)]
- E. This permit does not convey any property rights of any sort, or an exclusive privilege. [Reference 40 CFR 70.6(a)(6)(iv)]
- F. The permittee shall furnish to the permitting authority, within a reasonable time, any information that the permitting authority may request in writing to determine whether cause exists for modifying, revoking, and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the permitting authority copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality. A claim of confidentiality does not relieve the permittee of the requirement to provide the information. [LAC 33:III.507.B.2, 517.F, reference 40 CFR 70.6(a)(6)(v)]
- G. Permittee shall pay fees in accordance with LAC 33:III.Chapter 2 and 40 CFR Section 70.6(a)(7). [LAC 33:III.501.C.2, reference 40 CFR 70.6(a)(7)]

- H. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the permitting authority or authorized representative to perform the following:
  - enter upon the permittee's premises where a 40 CFR Part 70 source is located or emission-related activity is conducted, or where records must be kept under the conditions of the permit [LAC 33:III.507.H.2, reference 40 CFR 70.6(c)(2)(i)];
  - 2. have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit [LAC 33:III.507.H.2, reference 40 CFR 70.6(c)(2)(ii)];
  - 3. inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit [LAC 33:III.507.H.2, reference 40 CFR 70.6(c)(2)(iii)]; and
  - 4. as authorized by the Clean Air Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [LAC 33:III.507.H.2, reference 40 CFR 70.6(c)(2)(iv)]
- I. All required monitoring data and supporting information shall be kept available for inspection at the facility or alternate location approved by the agency for a period of at least five (5) years from the date of the monitoring sample, measurement, report, or application. Supporting information includes calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and all reports required by the permit.

  [Reference 40 CFR 70.6(a)(3)(ii)(B)]
- J. Records of required monitoring shall include the following:
  - 1. the date, place as defined in the permit, and time of sampling or measurements;
  - 2. the date(s) analyses were performed;
  - 3. the company or entity that performed the analyses;
  - 4. the analytical techniques or methods used;
  - 5. the results of such analyses; and
  - 6. the operating conditions as existing at the time of sampling or measurement. [Reference 40 CFR 70.6(a)(3)(ii)(A)]
- K. Permittee shall submit at least semiannually, reports of any required monitoring, clearly identifying all instances of deviations from permitted monitoring requirements, certified by a responsible company official. For previously reported deviations, in lieu of attaching the the semiannual report may deviation reports. clearly reference the communication(s)/correspondence(s) constituting the prior report, including the date the prior report was submitted. The semiannual reports shall be submitted to the Office of Environmental Compliance, Enforcement Division by March 31 for the preceding period encompassing July through December and September 30 for the preceding period encompassing January through June. Any quarterly deviation report required to be submitted by March 31 or September 30 in accordance with Part 70 General Condition R may be consolidated with the semi-annual reports required by this general condition as long as the report clearly indicates this and all required information is included and clearly delineated in the consolidated report. [LAC 33:III.507.H, reference 40 CFR 70.6(a)(3)(iii)(A)]
- L. The permittee shall submit at least semiannual reports on the status of compliance pursuant to 40 CFR Section 70.5 (c) (8) and a progress report on any applicable schedule of compliance pursuant to 40 CFR-Section 70.6 (c) (4). [LAC 33:III:507:H.1, reference 40 CFR-70.6(c)(4)]

- M. Compliance certifications per LAC 33:III.507.H.5 shall be submitted to the Administrator as well as the permitting authority. For previously reported compliance deviations, in lieu of attaching the individual deviation reports, the annual report may clearly reference the communication(s)/correspondence(s) constituting the prior report, including the date the prior report was submitted. The compliance certifications shall be submitted to the Office of Environmental Compliance, Enforcement Division by March 31 for the preceding calendar year. [LAC 33:III.507.H.5, reference 40 CFR 70.6(c)(5)(iv)]
- N. If the permittee seeks to reserve a claim of an affirmative defense as provided in LAC 33:III.507.J.2, the permittee shall, in addition to any emergency or upset provisions in any applicable regulation, notify the permitting authority within 2 working days of the time when emission limitations were exceeded due to the occurrence of an upset. In the event of an upset, as defined under LAC 33:III.507.J, which results in excess emissions, the permittee shall demonstrate through properly signed, contemporaneous operating logs, or other relevant evidence that: 1) an emergency occurred and the cause was identified; 2) the permitted facility was being operated properly at the time; and 3) during the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standard or requirement of the permit. [LAC 33:III.507.J.2, reference 40 CFR 70.6(g)(3)(iv) & (i-iii)]
- O. Permittee shall maintain emissions at a level less than or equal to that provided for under the allowances that the 40 CFR Part 70 source lawfully holds under Title IV of the Clean Air Act or the regulations promulgated thereunder. No permit revision shall be required for increases in emissions that are authorized by allowances acquired pursuant to the acid rain program, provided that such increases do not require a permit revision under any other applicable requirement. No limit shall be placed on the number of allowances held by the source. The source may not, however, use allowances as a defense to noncompliance with any other applicable requirement. Any such allowance shall be accounted for according to the procedures established in regulations promulgated under Title IV of the Clean Air Act. [Reference 40 CFR 70.6(a)(4)]
- P. Any permit issued pursuant to 40 CFR Part 70 may be subject to reopening prior to the expiration of the permit for any of the conditions specified in 40 CFR Section 70.7(f) or LAC 33:III.529. [LAC 33:III.529.A-B, reference 40 CFR 70.7(f)]
- Q. Permittee may request an administrative amendment to the permit to incorporate test results from compliance testing if the following criteria are met:
  - the changes are a result of tests performed upon start-up of newly constructed, installed, or modified equipment or operations;
  - 2. increases in permitted emissions will not exceed five tons per year for any regulated pollutant;
  - 3. increases in permitted emissions of Louisiana toxic air pollutants or of federal hazardous air pollutants would not constitute a modification under LAC 33:III. Chapter 51 or under Section 112 (g) of the Clean Air Act;
  - 4. changes in emissions would not require new source review for prevention of significant deterioration or nonattainment and would not trigger the applicability of any federally applicable requirement;
  - 5. changes in emissions would not qualify as a significant modification; and
  - 6. the request is submitted no later than 12 months after commencing operation. [LAC 33:III.523.A, reference 40 CFR 70.7(d)]

- R. Permittee shall submit prompt reports of all permit deviations as specified below to the Office of Environmental Compliance, Enforcement Division. All such reports shall be certified by a responsible official in accordance with 40 CFR 70.5(d).
  - 1. A written report shall be submitted within 7 days of any emission in excess of permit requirements by an amount greater than the Reportable Quantity established for that pollutant in LAC 33.I.Chapter 39.
  - 2. A written report shall be submitted within 7 days of the initial occurrence of any emission in excess of permit requirements, regardless of the amount, where such emission occurs over a period of seven days or longer.
  - 3. A written report shall be submitted quarterly to address all permit deviations not included in paragraphs 1 or 2 above. Unless required by an applicable reporting requirement, a written report is not required during periods in which there is no deviation. The quarterly deviation reports submitted on March 31 and September 30 may be consolidated with the semi-annual reports required by Part 70 General Condition K as long as the report clearly indicates this and all required information is included and clearly delineated in the consolidated report. For previously reported permit deviations, in lieu of attaching the individual deviation reports, the quarterly report may clearly reference the communication(s)/correspondence(s) constituting the prior report, including the date the prior report was submitted. The schedule for submittal of quarterly reports shall be no later than the dates specified below for any permit deviations occurring during the corresponding specified calendar quarter:
    - a. Report by June 30 to cover January through March
    - b. Report by September 30 to cover April through June
    - c. Report by December 31 to cover July through September
    - d. Report by March 31 to cover October through December
  - 4. Any written report submitted in advance of the timeframes specified above, in accordance with an applicable regulation, may serve to meet the reporting requirements of this condition provided such reports are certified in accordance with 40 CFR 70.5(d) and contain all information relevant to the permit deviation. Reporting under this condition does not relieve the permittee from the reporting requirements of any applicable regulation, including LAC 33.I.Chapter 39, LAC 33.III.Chapter 9, and LAC 33.III.5107. [Reference 40 CFR 70.6(a)(3)(iii)(B)]
- S. Permittee shall continue to comply with applicable requirements on a timely basis, and will meet on a timely basis applicable requirements that become effective during the permit term. [Reference 40 CFR 70.5(c)(8)(iii)]

- The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F, except as provided for Motor Vehicle Air Conditioners (MVACs) in Subpart B:
  - 1. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156;
  - 2. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158;
  - 3. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161;
  - 4. Persons disposing of small appliances, MVACs, and MVAC-like appliances must comply with recordkeeping requirements pursuant to 40 CFR 82.166. ("MVAC-like appliance" as defined at 40 CFR 82.152);
  - 5. Persons owning commercial or industrial process refrigeration equipment must comply with the leak repair requirements pursuant to 40 CFR 82.156; and
  - 6. Owners/operators of appliances normally containing 50 or more pounds of refrigerant must keep records of refrigerant purchased and added to such appliances pursuant to 40 CFR 82.166. [Reference 40 CFR 82, Subpart F]
- U. If the permittee performs a service on motor (fleet) vehicles when this service involves ozone-depleting substance refrigerant (or regulated substitute substance) in the motor vehicle air conditioner (MVAC), the permittee is subject to all the applicable requirements as specified in 40 CFR Part 82, Subpart B, Servicing of Motor Vehicle Air Conditioners.
  - The term "motor vehicle" as used in Subpart B does not include a vehicle in which final assembly of the vehicle has not been completed. The term "MVAC" as used in Subpart B does not include the air-tight sealed refrigeration system used as refrigerated cargo, or system used on passenger buses using HCFC-22 refrigerant. [Reference 40 CFR 82, Subpart B]
- V. Data availability for continuous monitoring or monitoring to collect data at specific intervals: Except for monitoring malfunctions, associated repairs, and required quality assurance or control activities (including calibration checks and required zero and span adjustments), the permittee shall conduct all monitoring in continuous operation (or shall collect data at all required intervals) at all times that the emissions unit is operating. For purposes of reporting monitoring deviations under Part 70 General Conditions K and R, and unless otherwise provided for in the Specific Requirements (or Table 3) of this permit, the minimum degree of data availability shall be at least 90% (based on a monthly average) of the operating time of the emissions unit or activity being monitored. This condition does not apply to Leak Detection and Repair (LDAR) programs for fugitive emissions (e.g., 40 CFR 60 Subpart VV, 40 CFR 63 Subpart H).

- I. This permit is issued on the basis of the emissions reported in the application for approval of emissions and in no way guarantees that the design scheme presented will be capable of controlling the emissions to the type and quantities stated. Failure to install, properly operate and/or maintain all proposed control measures and/or equipment as specified in the application and supplemental information shall be considered a violation of the permit and LAC 33:III.501. If the emissions are determined to be greater than those allowed by the permit (e.g. during the shakedown period for new or modified equipment) or if proposed control measures and/or equipment are not installed or do not perform according to design efficiency, an application to modify the permit must be submitted. All terms and conditions of this permit shall remain in effect unless and until revised by the permitting authority.
- II. The permittee is subject to all applicable provisions of the Louisiana Air Quality Regulations. Violation of the terms and conditions of the permit constitutes a violation of these regulations.
- III. The Emission Rates for Criteria Pollutants, Emission Rates for TAP/HAP & Other Pollutants, and Specific Requirements sections or, where included, Emission Inventory Questionnaire sheets establish the emission limitations and are a part of the permit. Any operating limitations are noted in the Specific Requirements or, where included, Tables 2 and 3 of the permit. The synopsis is based on the application and Emission Inventory Questionnaire dated January 17, 2008, along with supplemental information dated May 20, 2008.
- IV. This permit shall become invalid, for the sources not constructed, if:
  - A. Construction is not commenced, or binding agreements or contractual obligations to undertake a program of construction of the project are not entered into, within two (2) years (18 months for PSD permits) after issuance of this permit, or;
  - B. If construction is discontinued for a period of two (2) years (18 months for PSD permits) or more.

The administrative authority may extend this time period upon a satisfactory showing that an extension is justified.

This provision does not apply to the time period between construction of the approved phases of a phased construction project. However, each phase must commence construction within two (2) years (18 months for PSD permits) of its projected and approved commencement date.

- V. The permittee shall submit semiannual reports of progress outlining the status of construction, noting any design changes, modifications or alterations in the construction schedule which have or may have an effect on the emission rates or ambient air quality levels. These reports shall continue to be submitted until such time as construction is certified as being complete. Furthermore, for any significant change in the design, prior approval shall be obtained from the Office of Environmental Services, Air Permits Division.
- VI. The permittee shall notify the Department of Environmental Quality, Office of Environmental Services, Air Permits Division within ten (10) calendar days from the date that construction is certified as complete and the estimated date of start-up of operation. The appropriate Regional Office shall also be so notified within the same time frame.

- VII. Any emissions testing performed for purposes of demonstrating compliance with the limitations set forth in paragraph III shall be conducted in accordance with the methods described in the Specific Conditions and, where included, Tables 1, 2, 3, 4, and 5 of this permit. Any deviation from or modification of the methods used for testing shall have prior approval from the Office of Environmental Assessment, Air Quality Assessment Division.
- VIII. The emission testing described in paragraph VII above, or established in the specific conditions of this permit, shall be conducted within sixty (60) days after achieving normal production rate or after the end of the shakedown period, but in no event later than 180 days after initial start-up (or restart-up after modification). The Office of Environmental Assessment, Air Quality Assessment Division shall be notified at least (30) days prior to testing and shall be given the opportunity to conduct a pretest meeting and observe the emission testing. The test results shall be submitted to the Air Quality Assessment Division within sixty (60) days after the complete testing. As required by LAC 33:III.913, the permittee shall provide necessary sampling ports in stacks or ducts and such other safe and proper sampling and testing facilities for proper determination of the emission limits.
- IX. The permittee shall, within 180 days after start-up and shakedown of each project or unit, report to the Office of Environmental Compliance, Enforcement Division any significant difference in operating emission rates as compared to those limitations specified in paragraph III. This report shall also include, but not be limited to, malfunctions and upsets. A permit modification shall be submitted, if necessary, as required in Condition I.
- X. The permittee shall retain records of all information resulting from monitoring activities and information indicating operating parameters as specified in the specific conditions of this permit for a minimum of at least five (5) years.
- XI. If for any reason the permittee does not comply with, or will not be able to comply with, the emission limitations specified in this permit, the permittee shall provide the Office of Environmental Compliance, Enforcement Division with a written report as specified below.
  - A. A written report shall be submitted within 7 days of any emission in excess of permit requirements by an amount greater than the Reportable Quantity established for that pollutant in LAC 33.I.Chapter 39.
  - B. A written report shall be submitted within 7 days of the initial occurrence of any emission in excess of permit requirements, regardless of the amount, where such emission occurs over a period of seven days or longer.
  - C. A written report shall be submitted quarterly to address all emission limitation exceedances not included in paragraphs A or B above. The schedule for submittal of quarterly reports shall be no later than the dates specified below for any emission limitation exceedances occurring during the corresponding specified calendar quarter:
    - 1. Report by June 30 to cover January through March
    - 2. Report by September 30 to cover April through June
    - 3. Report by December 31 to cover July through September
    - 4. Report by March 31 to cover October through December

- D. Each report submitted in accordance with this condition shall contain the following information:
  - 1. Description of noncomplying emission(s);
  - 2. Cause of noncompliance;
  - 3. Anticipated time the noncompliance is expected to continue, or if corrected, the duration of the period of noncompliance;
  - 4. Steps taken by the permittee to reduce and eliminate the noncomplying emissions; and
  - 5. Steps taken by the permittee to prevent recurrences of the noncomplying emissions.
- E. Any written report submitted in advance of the timeframes specified above, in accordance with an applicable regulation, may serve to meet the reporting requirements of this condition provided all information specified above is included. For Part 70 sources, reports submitted in accordance with Part 70 General Condition R shall serve to meet the requirements of this condition provided all specified information is included. Reporting under this condition does not relieve the permittee from the reporting requirements of any applicable regulation, including LAC 33.I.Chapter 39, LAC 33.III.Chapter 9, and LAC 33.III.5107.
- XII. Permittee shall allow the authorized officers and employees of the Department of Environmental Quality, at all reasonable times and upon presentation of identification, to:
  - A. Enter upon the permittee's premises where regulated facilities are located, regulated activities are conducted or where records required under this permit are kept;
  - B. Have access to and copy any records that are required to be kept under the terms and conditions of this permit, the Louisiana Air Quality Regulations, or the Act;
  - C. Inspect any facilities, equipment (including monitoring methods and an operation and maintenance inspection), or operations regulated under this permit; and
  - D. Sample or monitor, for the purpose of assuring compliance with this permit or as otherwise authorized by the Act or regulations adopted thereunder, any substances or parameters at any location.
- XIII. If samples are taken under Section XII.D. above, the officer or employee obtaining such samples shall give the owner, operator or agent in charge a receipt describing the sample obtained. If requested prior to leaving the premises, a portion of each sample equal in volume or weight to the portion retained shall be given to the owner, operator or agent in charge. If an analysis is made of such samples, a copy of the analysis shall be furnished promptly to the owner, operator or agency in charge.
- XIV. The permittee shall allow authorized officers and employees of the Department of Environmental Quality, upon presentation of identification, to enter upon the permittee's premises to investigate potential or alleged violations of the Act or the rules and regulations adopted thereunder. In such investigations, the permittee shall be notified at the time entrance is requested of the nature of the suspected violation. Inspections under this subsection shall be limited to the aspects of alleged violations. However, this shall not in any way preclude prosecution of all violations found.

- XV. The permittee shall comply with the reporting requirements specified under LAC 33:III.919 as well as notification requirements specified under LAC 33:III.927.
- XVI. In the event of any change in ownership of the source described in this permit, the permittee and the succeeding owner shall notify the Office of Environmental Services in accordance with LAC 33:I.Chapter 19.Facility Name and Ownership/Operator Changes Process.
- XVII. Very small emissions to the air resulting from routine operations, that are predictable, expected, periodic, and quantifiable and that are submitted by the permitted facility and approved by the Air Permits Division are considered authorized discharges. Approved activities are noted in the General Condition XVII Activities List of this permit. To be approved as an authorized discharge, these very small releases must:
  - Generally be less than 5 TPY
  - 2. Be less than the minimum emission rate (MER)
  - 3. Be scheduled daily, weekly, monthly, etc., or
  - 4. Be necessary prior to plant startup or after shutdown [line or compressor pressuring/depressuring for example]

These releases are not included in the permit totals because they are small and will have an insignificant impact on air quality. This general condition does not authorize the maintenance of a nuisance, or a danger to public health and safety. The permitted facility must comply with all applicable requirements, including release reporting under LAC 33:I.3901.

XVIII. Provisions of the permit may be appealed to the secretary in writing pursuant to La. R.S. 30:2024(A) within 30 days from notice of the permit action. A request may be made to the secretary to suspend those provisions of the permit specifically appealed. The permit remains in effect to the extent that the secretary or assistant secretary does not elect to suspend the appealed provisions as requested or, at his discretion, other permit provisions as well. Construction cannot proceed except as specifically approved by the secretary or assistant secretary, until a final decision has been rendered on the appeal. A request for hearing must be sent to the following:

Attention: Office of the Secretary, Legal Services Division La. Dept. of Environmental Quality Post Office Box 4302 Baton Rouge, Louisiana 70821-4302

XIX. For Part 70 sources, certain Part 70 general conditions may duplicate or conflict with state general conditions. To the extent that any Part 70 conditions conflict with state general conditions, then the Part 70 general conditions control. To the extent that any Part 70 general conditions duplicate any state general conditions, then such state and Part 70 provisions will be enforced as if there is only one condition rather than two conditions.

## General Information

Al ID: 26328 LA Energy & Power Authority (LEPA) - New Roads Power Plant Activity Number: PER20080001 Permit Number: 2260-00057-V3 Air - Title V Regular Permit Renewal

Also Known As:

	Name	User Group	Start Date
2260-00057	LA Energy & Power Authority (LEPA) - New Roads Power Plant	CDS Number	08-05-2002
72-0898014	Federal Tax ID	Federal Tax ID	11-21-1999
AR000011551	LA Energy & Power Authority (LEPA) - New Roads Power Plant	Hazardous Waste Notification	03-01-1996
LA0099210	LPDES#	LPDES Permit #	06-25-2003
LAG940014	LPDES#	LPDES Permit #	11-01-2000
WP4983	WPC State Permit Number	LWDPS Permit #	06-25-2003
32728	LA Energy & Power Authority (LEPA) - New Roads Power Plant	TEMPO Merge	07-01-2001
52271	LA Energy & Power Authority (LEPA)	TEMPO Merge	01-02-2001

215 Oak St	New Roads, LA 70760
Physical Location:	

Mailing Address:	210 Venture Way Lafayette, LA 70507	•
Location of Front Gate:		30° 42' 10" latitude, 91° 26' 19" longitude, Coordinate Method: Interpolation - Map, Coordinate Datum: NAD83
Related People:	Name	Mailing Address Phone (Type)

Related People:	Name	Mailing Address	Phone (Type)	Relationship
	Kevin Arceneaux	210 Venture Way Lafayette, LA 705075319	3372694046 (WP)	Water Permit Contact For
	Cordell Grand	210 Venture Way Lafayette, LA 70507	3372694046 (WP)	Responsible Official for
	Brian Guidroz	210 Ventura Way Lafayette, LA 70507	2256388047 (WP)	Air Permit Contact For
	Brian Guidroz	210 Ventura Way Lafayette, LA 70507	2256388047 (WP)	Emission Inventory Contact for
	Kevin Guidny	PO Box 280 New Roads, LA 70760	KGUIDRY@LEPA.C	Emission Inventory Contact for
	Kevin Guidry	PO Box 280 New Roads, LA 70760	3372378439 (WP)	Emission Inventory Contact for
Related Organizations:	. Nате	Address	Phone (Type)	Relationship

Suo.		Audicas	(addi) anan i	dusiones
	City of New Roads	237 W Main St New Roads, LA 70767		Emission Inventory Billing Party
	City of New Roads	237 W Main St New Roads, LA 70767		Owns
	Louisiana Energy & Power Authority	210 Venture Way Lafayette, LA 70507		Air Billing Party for
	Louisiana Energy & Power Authority	210 Venture Way Lafayette, LA 70507		Operates
	(LEPA) Louisiana Energy & Power Authority (LEPA)	210 Venture Way Lafayette, LA 70507		Water Billing Party for

22111, Electric Power Generation

NAIC Codes:

General Information

Al ID: 26328 LA Energy & Power Authority (LEPA) - New Roads Power Plant Air - Title V Regular Permit Renewal Permit Number: 2260-00057-V3 Activity Number: PER20080001

Note: This report entitled "General Information" contains a summary of facility-level information contained in LDEQ's TEMPO database for this facility and is not considered a part of the permit. Please review the information contained in this document for accuracy and completeness. If any changes are required or if you have questions regarding this document, you may contact Mr. David Ferrand, Environmental Assistance Division, at (225) 219-3247 or email your changes to facupdate@la.gov.

Page 2 of 2

### INVENTORIES

# Ai ID: 26328 - LA Energy & Power Authority (LEPA) - New Roads Power Plant Activity Number: PER20080001 Permit Number: 2260-00057-V3 Air - Title V Regular Permit Renewal

Subject Item Inventory:							
Q1	Description	Tank Volume	Max. Operating Rate	Normal Operating Rate	Contents		Operating Time
LA Energy & Power Authority	uthority						
FOT0001 C1 - Unit No. 1 Engine	. 1 Engine		3215 horsepower	3215 horsepower		1	1200 hr/yr (All Year)
	2. 2 Engine		960 horsepower	960 horsepower		_	1200 hr/yr (All Year)
FOT0003 C3 : Unit No. 3 Engine	3. 3 Engine		1600 horsepower	1600 horsepower		1	200 hr/yr (All Year)
EOT0004 C4 : Unit No. 4 Engine	o. 4 Engine		2400 horsepower	2400 horsepower		1	1200 hrfyr (All Year)
EQT0005 C5 Unit No. 5 Engine	5. 5 Engine		2400 horsepower	2400 horsepower		1	1200 hr/yr (All Year)
	5.6 Engine		2800 horsepower	2800 horsepower			1200 hr/yr (All Year)
	Tower No. 1		1755 gallons/min	1755 gallons/min		1	1200 hr/yr (All Year)
	Tower No. 2		1755 gallons/min	1755 gallons/min		_	1200 hr/yr (All Year)
FOT0012 X3 - Cooling Tower No 3	Tower No. 3		1755 gallons/min	1755 gallons/min		-	1200 hr/yr (All Year)
FOT0013 X4 Cooling Tower No. 4	Tower No. 4		1755 gallons/min	1755 gallons/min		-	200 hr/yr (All Year)
EOT0014 X5 Cooling Tower No. 5	Tower No. 5		1755 gallons/min	1755 gallons/min			1200 hr/yr (All Year)
EQT0015 X6 Cooling Tower No. 6	Tower No. 6		1755 gallons/min	1755 gallons/min		1	1200 hr/yr (All Year)
Stack Information:							
Q	Description		Velocity Flow Rate (f/sec) (cubic ft/min-actual)	tate Diameter	Discharge Area (square feet)	Height (feet)	Temperature (oF)
LA Energy & Power Authority	uthority						
EQT0001 C1 - Unit No. 1 Engine	lo. 1 Engine		126 24100	0 2		36	700
EQT0002 C2 - Unit No. 2 Engine	lo. 2 Engine		66 7200	1.5		31.67	700
EQT0003 C3 - Unit N	C3 - Unit No. 3 Engine		91 12000	0 1.67		31.5	200
	lo. 4 Engine		125 18000	0 1.75		31.5	. 002
EQT0005 C5 - Unit No. 5 Engine	lo. 5 Engine		125 18000	0 1.75		31.5	700
EQT0006 C6 - Unit No. 6 Engine	lo. 6 Engine		160 21000	0 1.67		.43	700
EQT0010 X1 - Cooling Tower No. 1	g Tower No. 1			မ		15	
EQT0011 X2 - Cooling Tower No. 2	Ig Tower No. 2			9		15	
EQT0012 X3 - Cooling Tower No. 3	ig Tower No. 3			9		15	
EQT0013 X4 - Cooling Tower No. 4	ig Tower No. 4			9		15	
EQT0014 X5 - Cooling Tower No. 5	g Tower No. 5			9		15	

Relationships:

EQT0014 X5 - Cooling Tower No. 5 EQT0015 X6 - Cooling Tower No. 6

Subject Item Groups:

<u> </u>	Group Type	Group Description
CRG0002	Common Requirements Group	Diesel Engines - Diesel Engines
UNF0001	Unit or Facility Wide	Entire Facility - Entire Facility

5

### INVENTORIES

Al ID: 26328 - LA Energy & Power Authority (LEPA) - New Roads Power Plant Activity Number: PER20080001 Permit Number: 2260-00057-V3

Air - Title V Regular Permit Renewal

### Group Membership:

10   10   10   10   10   10   10   10					C1 - Unit No. 1 Engine											
---------------------------------------	--	--	--	--	------------------------	--	--	--	--	--	--	--	--	--	--	--

NOTE: The UNF group relationship is not printed in this table. Every subject item is a member of the UNF group

### Annual Maintehance Fee:

Foo Number	Air Contaminant Source	Multiplier	Units Of Measure
			BALA
1410	B) Electric Power Gen. (0.7 percent S or Less in Fuel) (Kated	Ċ.	200
	Capacity)		

#### SIC Codes:

AI26328	UNF001
Electric services AI2	Electric services
4911 E	4911

## **EMISSION RATES FOR CRITERIA POLLUTANTS**

Al ID: 26328 - LA Energy & Power Authority (LEPA) - New Roads Power Plant

Activity Number: PER20080001 Permit Number: 2260-00057-V3 Air - Title V Regular Permit Renewal

Subject Item Avg Energy & Power Authors ct	Ava lh/hr M		-	Š			2			306			)		
wer Aut		Max Ib/hr	Tons/Year	Avg lb/hr	Max lb/hr	Tons/Year	Avg lb/hr	Max Ib/hr	Tons/Year	Avg lb/hr	Max lb/hr	Tons/Year	Avg lb/hr	Max lb/hr	Tons/Year
	ority	~				į									ļ
	28.14	28.14	16.89	77.63	77.63	46.58	1.39	1.39	0.83	12.25	12.25	7.35	1.80	1.80	1.08
	8.69	8.69	5.21	23.97	23.97	14.38	0.43	0.43	0.26	3.78	3.78	2.27	0.43	0.43	0.26
	13.77	13.77	8.26	37.98	37.98	22.79	0.68	0.68	0.41	5.99	5.99	3.60	0.88	0.88	0.53
	21.03	21.03	12.62	58.02	58.02	34.81	1.04	1.04	0.62	9.16	9.16	5.50	1.42	1.42	0.85
	20.71	20.71	12.42	57.12	57.12	34.27	1.02	1.02	0.61	9.01	9.01	5.41	1.32	1.32	0.79
	25.52	25.52	15.31	70.40	70.40	42.24	1.26	1.26	0.76	11.11	11.11	6.67	1.63	1.63	0.98
EQT 0010							0.16	0.16	0.10						
EQT 0011							0.16	0.16	0.10	,					
EQT 0012							0.16	0.16	0.10						
EQT 0013							0.16	0.16	0.10						
EQT 0014 xs			,				0.16	0.16	0.10						
EQT 0015 x6							0.16	0.16	0.10						

Note: Emission rates in bold are from alternate scenarios and are not included in permitted totals unless otherwise noted in a footnote.

#### **EMISSION RATES FOR TAP/HAP & OTHER POLLUTANTS**

AI ID: 26328 - LA Energy & Power Authority (LEPA) - New Roads Power Plant

Activity Number: PER20080001 Permit Number: 2260-00057-V3 Air - Title V Regular Permit Renewal

Emission Pt.	Poliutant	Avg lb/hr	Max Ib/hr	Tons/Year
EQT 0001	Acetaldehyde	0.001	0.001	< 0.001
•	Benzene	0.019	0.019	0.011
	Formaldehyde	0.002	0.002	0.001
	Naphthalene	0.003	0.003	0.002
	Toluene	0.007	0.007	0.004
	Total suspended particulate	1.69	1.69	1.02
	Xylene (mixed isomers)	0.005	0.005	0.003
QT 0002 2	Benzene	0.006	0.006	0.003
-	Formaldehyde	0.001	0.001	< 0.001
	Toluene	0.002	0.002	0.001
	Total suspended particulate	0.52	0.52	0.31
	Xylene (mixed isomers)	0.001	0.001	0.001
EQT 0003	Benzene	0.009	0.009	0.006
	Formaldehyde	0.001	0.001	0.001
	Toluene	0.003	0.003	0.002 ·
	Total suspended particulate	0.83	0.83	0.50
	Xylene (mixed isomers)	0.002	0.002	0.001
EQT 0004 C4	Benzene	0.014	0.014	0.008
<b>J4</b>	Formaldehyde	0.001	0.001	0.001
	Toluene	0.005	0.005	0.003
	Total suspended particulate	1.26	1.26	0.76
	Xylene (mixed isomers)	0.003	0.003	0.002
EQT 0005 C5	Benzene	0.014	0.014	0.008
<b>~</b>	Formaldehyde	0.001	0.001	0.001
	Toluene	0.005	0.005	0.003
	Total suspended particulate	1.24	1.24	0.75
	Xylene (mixed isomers)	0.003	0.003	0.002
EQT 0006 C6	Acetaldehyde	0.001	0.001	< 0.001
<b>50</b>	Benzene	0.017	0.017	0.010
	Formaldehyde	0.002	0.002	0.001
	Naphthalene	0.003	0.003	0.002
	Toluene	0.006	0.006-	0.004-
	Total suspended particulate	1.53	1.53	0.92
	Xylene (mixed isomers)	0.004	0.004	0.003

#### **EMISSION RATES FOR TAP/HAP & OTHER POLLUTANTS**

Al ID: 26328 - LA Energy & Power Authority (LEPA) - New Roads Power Plant

Activity Number: PER20080001
Permit Number: 2260-00057-V3
Air - Title V Regular Permit Renewal

Emission Pt.	Pollutant	Avg lb/hr	Max Ib/hr	Tons/Year
UNF 0001 Entire Facility	Acetaldehyde			0.001
	Benzene			0.047
	Formaldehyde			0.005
	Naphthalene			0.004
	Toluene			0.017
•	Total suspended particulate			4.82
	Xylene (mixed isomers)			0.012

Note: Emission rates in bold are from alternate scenarios and are not included in permitted totals unless otherwise noted in a footnote. Emission rates attributed to the UNF reflect the sum of the TAP/HAP limits of the individual emission points (or caps) under this permit, but do not constitute an emission cap.

## SPECIFIC REQUIREMENTS

Al ID: 26328 - LA Energy & Power Authority (LEPA) - New Roads Power Plant

Activity Number: PER20080001 Permit Number: 2260-00057-V3

Air - Title V Regular Permit Renewal

## CRG0002 Diesel Engines

## Group Members: EQT0001 EQT0002 EQT0003 EQT0004 EQT0005 EQT0006

## SPECIFIC REQUIREMENTS

Al ID: 26328 - LA Energy & Power Authority (LEPA) - New Roads Power Plant

Air - Title V Regular Permit Renewal Permit Number: 2260-00057-V3 Activity Number: PER20080001

## CRG0002 Diesel Engines

11 [LAC 33:III.507.H.1.a]

was being produced) Units tested at less than 95% of permitted maximum capacity shall provide documentation to support compliance at 100% Etc.) Plant and in house laboratory data to support production values shall be included. (Example: how many tons of 100% equivalent H2SO4 summary shall include any necessary conversion into the units of any applicable Standard. (lbs/MMBtu, gr/dscf, lbs SO2 / ton 100% H2SO4, Submit stack test report: Due within 60 days after stack test. Submit test results to the Office of Environmental Assessment. The test results of the permitted maximum capacity. [LAC 33.III.507.H.1.a].

## UNF0001 LA Energy & Power Authority

12 [40 CFR 70.5(a)(1)(iii)]	Submit Title V permit application for renewal: Due 6 months before permit expiration date. [40 CFR 70.5(a)(1)(iii)]
13 [40 CFR 70.6(a)(3)(iii)(A)]	Submit Title V monitoring results report: Due semiannually, by March 31st and September 30th for the preceding periods encompassing July
	through December and January through June, respectively. Submit reports to the Office of Environmental Compliance, Surveillance Division.
	Certify reports by a responsible company official. Clearly identify all instances of deviations from permitted monitoring requirements. For
	previously reported deviations, in lieu of attaching the individual deviation reports, clearly reference the communication(s)/correspondence(s)
	constituting the prior report, including the date the prior report was submitted. [40 CFR 70.6(a)(3)(iii)(A)]
14 [40 CFR 70.6(a)(3)(iii)(B)]	Submit Title V excess emissions report: Due quarterly, by June 30, September 30, December 31, March 31. Submit reports of all permit
	deviations to the Office of Environmental Compliance, Surveillance Division. Certify all reports by a responsible official in accordance with 40
	CFR 70.5(d). The reports submitted on March 31 and September 30 may be consolidated with the semi-annual reports required by 40 CFR
	70.6(a)(3)(iii)(A) as long as the report clearly indicates this and all required information is included and clearly delineated in the consolidated
	report. Unless required by an applicable reporting requirement, a written report is not required during periods in which there is no deviation. [40]
	CFR 70.6(a)(3)(iii)(B)]
15 [40 CFR 70.6(c)(5)(iv)]	Submit Title V compliance certification: Due annually, by the 31st of March. Submit to the Office of Environmental Compliance, Surveillance
	Division. [40 CFR 70.6(c)(5)(iv)]
16 [LAC 33:III.1103]	Emissions of smoke which pass onto or across a public road and create a traffic hazard by impairment of visibility as defined in LAC 33:111.111
,	or intensify an existing traffic hazard condition are prohibited.

17 [LAC 33:III.1303.B]

[LAC 33:III.2113.A]

[LAC 33:111.219] 61

LAC 33.111.5307.BJ

21 [LAC 33:III.5609.A.1.b] 22 [LAC 33:III.5609.A.2.b] 20

Maintain best practical housekeeping and maintenance practices at the highest possible standards to reduce the quantity of organic compounds existing traffic hazard condition are prohibited.

Emissions of particulate matter which pass onto or across a public road and create a traffic hazard by impairment of visibility or intensify an

emissions. Good housekeeping shall include, but not be limited to, the practices listed in LAC 33:III.2113.A.1-5.

these regulations and shall subject the person to applicable enforcement actions under the Louisiana Environmental Quality Act including, but Failure to pay the prescribed application fee or annual fee as provided herein, within 90 days after the due date, will constitute a violation of not limited to, revocation or suspension of the applicable permit, license, registration, or variance.

Submit Emission Inventory (E1)/Annual Emissions Statement: Due annually, by the 1st of July to the Office of Environmental Services. Include the information in LAC 33:III.5307.A for the preceding calendar year.

Activate the preplanned abatement strategy listed in LAC 33:111.5611. Table 5 when the administrative authority declares an Air, Pollution Alert. Activate the preplanned strategy listed in LAC 33:III.5611. Table 6 when the administrative authority declares an Air Pollution Warning.

## SPECIFIC REQUIREMENTS

Al ID: 26328 - LA Energy & Power Authority (LEPA) - New Roads Power Plant Activity Number: PER20080001

Permit Number: 2260-00057-V3 Air - Title V Regular Permit Renewal

## UNF0001 LA Energy & Power Authority

### Department of Environmental Quality Baton Rouge, LA 70884-2135 Air Quality Division (225) 765-0219 P.O. Box 82135 SINGLE POINT/AREA/VOLUME SOURCE Emission Inventory Questionnaire (EIQ) LOUISIANA for Air Pollutants

									Air Dallistant Capacitia Information	t Cassifia		) : D
												c
2 Full Load	7.2	7	24	10	50	30	10		12.13	No 2 Diesel		Б
	wkłyr	days/wk	hrs/day .	Sep-Nov hr	Jun-Aug	маг-мау	Dec₊Feb	l	12.13	Natural Gas		
Rate			5		9 G14697C11	bunganis ana sana sana bung	5	CHARACTE	Leat asher (ww. o.r.vur.)		ype	Fuel
Normal		ing time	Normal operating time		ughput of	Percent of annual throughpu	Percent o	Operating	(see Instructions)	d and heat input	ype of fuel	
-	_				_						× no]	[Changeyes_x_no]
3215 hp				126		24,100	2,	700	2.0 ft	36	es .	Characteristics
or tank capacity						andard (#³/min)	e (*F) conditions, not at standard (tt³/min)	iperatur cond F)	discharge area (ft²) tempe	above grade (ft) disci		Physical
Operating rate (Max)		modification	Construction/modification	Stack gas exit velocity Date of (ft/sec)   constri	<del>-</del> γ ω	Cess	Stack gas flow at process	:k gas	Diameter (ft) or stack Stac	Height of Stack Diam		Stack and Discharge
3396.9 mN			ate	Vertical coordinate	16 V							
650.8 m∈			inate	Horizontal coordinate	15 Ho	no.	UTM zone no.		Unit No. 1 Engine		_	2
of area sour	cation o	etermine to	on how to di	vent (see instructions on how to determine location of area sources)		Approximate location of stack o	Approximate	rvent	Descriptive name of the equipment served by this stack or vent	Descriptive name of the	e r	Source ID number
	May 2008	May					wer plant	New Roads Power plant	New	Louisiana Energy and Power Authority	nergy and	Louisiana E
		Ittal	Date of submittal				me (if any)	Plant location and name (if any)	Plant Ic			Company Name

P
Air
סר
으
ir Pollut
ıt
a
_
S
p
Ð
Ω.
=
C
=
⊒
<u>~</u>
7
13
a
Pollutant Specific Information
0
<b>5</b>
İ
l

			::						
Pollutant	Control	Control				Emission	Add, Change,	Concentration in gases	in gases
	Equipment	Equipment		Emission Rate		Estimation	or Delete	exiting at stack	tack
	Code	Efficiency				Method	Code		
			Average (lbs/hr)	Average (lbs/hr) Maximum (lbs/hr) Annual (tons/yr)	Annual (tons/yr)				
			•						
Particulate matter (PM <sub>10</sub> )	000	0	1.390	1.390	0.834	3	Change		ppm by vo
Sulfur dioxide	80	o	12.251	12.251	7.351	3	Change		ppm by vol
Nitrogen diaxide	00	0	77.632	77.632	46.579	ω	Change		ppm by vol
Carbon monoxide	000	0	28.142	28.142	16.885	3	Change		ppm by vol
Total VOC (including those listed below)	000	o	1.795	1.795	1.077	3	Change		ppm by vol
Benzene	000	0	0.019	0.019	110.0	3	Add		ppm by vo
Toluene	000	0	0.007	0.007	0,004	3	Add		ppm by voi
Xylenes	000	0	0.005	0.005	0.003	3	Add		ppm by vo
Propylene	000		0.068	0.068	0.041	3	Add		ppm by vol
Formaldehyde	000	0	0.002	0.002	0.001	3	Add		ppm by vo
(Continued on next sheet)									ppm by vo

Department of Environmental Quality Air Quality Division P.O. Box 82135

Baton Rouge, LA 70884-2135

## LOUISIANA

### SINGLE POINT/AREA/VOLUME SOURCE Emission Inventory Questionnaire (EIQ) for Air Pollutants



Physical Stack and Discharge Source ID number Company Name ourse ID number Descriptive name of the equipment served by this stack or vent Approximate C1 (Continued) (225) 765-0219 Height of Stack above grade (ft) discharge area (ft²) Diameter (ft) or stack Unit No. 1 Engine Plant location and name (if any) e (°F) temperatur conditions, not at standard (ft³/mln) Stack gas Stack gas flow at process exit Approximate location of stack or vent (see instructions on how to determine location of area sources) UTM zone no. 15 Horizontal coordinate Vertical coordinate Stack gas exit velocity Date of (ft/sec) construction/modification Date of submittal January, 2008 or tank capacity Operating rate 3396.9 mN 650.8 mE (Max)

	Air
	Po
	Ilut
	<b>Pollutant Specific Information</b>
	Spe
	ecif
	ic II
	ıfoı
-	ma.
	tion
	_

Fuel

Type of fuel

Natural Gas

No 2 Diesel

12.13 12.13 [Change\_ Characteristics

yes\_x\_no]

36

2.0 ft

Type of fuel used and heat input (see Instructions)

Heat Input (MM BTU/hr)

Character. Operating

Dec-Feb

Mar-May 30

Jun-Aug

Sep-Nov

hrs/day

wklyr 7.2

Full Load

Operating Rate

Norma

50

5

24

5

pollutants through this emission point

of this point

Normal operating time

Percent of annual throughput of

24,100

128

3215 Hp

Air Pollutant Specific information	SCHIC II	Horma							
Pollutant	Control	Control				Emission	Add, Change,	Concentration in gases	in gases
	Equipment	Equipment		Emission Rate		Estimation	or Delete	exiting at stack	stack
	Code	Efficiency		•		Method	Code		
			Average (lbs/hr)	Maximum (lbs/hr)	Average (lbs/hr) Maximum (lbs/hr) Annual (tons/yr)				
Acetaldehyde	000	0	0.001	0.001	<0.001	ບ	Add		gristd ft
Naphthalene	000	0	0.003	0.003	0.002	3	Add		ppm by vo
Phenanthrene	000	0	0.001	0.001	0.001	ω	Add		ppm by vo
Other VOC	000	0	1.690	1.690	1.014	ω	Add		ppm by vo
Total Particulate(TSP)	000	0	1.691	1,691	1.015	3	Change		ppm by vol
									ppm by vo
	-								ppm by vol
					,				ppm by vo
									ppm by vo
									ppm by vol
									ppm by vo
									ppm by vol

: Note(s): The physical and operational data provided represents normal operations and best approximations of physical measurements.

: .....

#### Department of Environmental Quality Air Quality Division Baton Rouge, LA 70884-2135 P.O. Box 82135

## LOUISIANA

### SINGLE POINT/AREA/VOLUME SOURCE **Emission Inventory Questionnaire (EIQ)** for Air Pollutants



Louisiana Energy and Power Authority New Roads Power Plant (see instructions on how to determine location of area sources)

Source ID number Descriptive name of the equipment served by this stack or vent Approximate location of stack or vent (see instructions on how to determine location of area sources) Company Name (225) 765-0219 Plant location and name (if any) Date of submittal

Unit No. 2 Engine

650.8 mE

•	C2		Unit No. 2 Engine		_	UTM zone no.	ō,	15 Ho	Horizontal coordinate	dinate		6	650.8 mE
	-							16 V	16 Vertical coordinate	nate		33	3396.9 mN
Stack and Discharge	ischarge	Height of Stack	Diameter (ft) or stack	Stack gas	Stack ga	Stack gas Stack gas flow at process	855	- (A	Stack gas exit velocity Date of	ty Date of	and the stine	ဝ	Operating rate
Physical		above grade (ft)	discharge area (ft²)	temperatur	conditio	temperatur conditions, not at standard (ft <sup>3</sup> /min)	dard (ft³/min)	-				or t	or tank capacity
				e (°F)				_		<del>-</del> -			
Characteristics	ics	31.67	1.5#	700		7.;	7,200		66				960 Hp
[Change	[Changeyesx_no]												
	Type of fuel	used and heat ir	Type of fuel used and heat input (see Instructions)	Operating	gui	Percent of	Percent of annual throughput of	ighput of		Normal operating time	ng time		Normal
	Type of fuel	fuel	Heat Input (MM BTU/hr)	Character.	ter.	pollutants 1	pollutants through this emission point	emission !		of this point			Operating
ומו													Rate
	Б	Natural Gas	3.74			Dec-Feb	Mar-May	Bny-unf	Sep-Nov	hraiday	days/wk	Willyr	
	р	No. 2 Diesel	3.75 .			10	30	50	10	24	7	7.2 Full Load	Full
	c												
										•			-

## ||Air Pollutant Specific Information

און י טוומנמווג טיספטוויס ווויסוווימנוסוו								,	
Pollutant	Control	Control				Emission	Add, Change,	Concentration in gases	in gases
	Equipment	Equipment		Emission Rate		Estimation	or Delete	exiting at stack	stack
	Code	Efficiency				Method	Code		
		·	Average (lbs/hr)	Average (ibs/hr) Maximum (ibs/hr) Annual (tons/yr)	Annual (tons/yr)				
Particulate matter (PM <sub>10</sub> )	000	0	0.429	0.429	0.258	3	Change		gr/std ft
Sulfur dioxide	000	0	3.782	3.782	2.269	ε	Change		ppm by vo
Nitrogen dioxide	000	0	23.968	23.968	14.381	. 3	Change		ppm by vol
Carbon monoxide	000	0	8.688	8.688	5.213	3	Change		ppm by vo
Total VOC (including those listed below)	000	0	0,428	0.428	0.257	ယ	Change		ppm by vol
Benzene	000	0	0.006	0.006	0.003	3	Add		ppm by vo
Toluene	80	0	0.002	0.002	0.001	3	Add		ppm by vo
Xylenes	000	0	0.001	0.001	0.001	3	Add		ppm by vo
Propylene	000	0	0.021	0.021	0.013	3	Add		ppm by vo
Formaldehyde	000	0	0.001	0.001	<0.001	3	Add		ppm by vo
(Continued on next sheet)				,					ppm by vol

## LOUISIANA

Department of Environmental Quality

Air Quality Division P.O. Box 82135

Baton Rouge, LA 70884-2135

### SINGLE POINT/AREA/VOLUME SOURCE **Emission Inventory Questionnaire (EIQ)** for Air Pollutants



Company Name (225) 765-0219 Plant location and name (if any) Date of submittal

Unit No. 2 Engine New Roads Power Plant

stack or vent Approximate location of stack or vent (see instructions on how to determine location of area sources) 15 Horizontal coordinate May 2008 650.8 mE

UTM zone no.

Vertical coordinate

3396.9 mN

C2 (Continued)

	a Natural Gas 3.74 Dec-Feb Mar-May Jun-Aug S	Fuel Type of fuel Heat Input (MM BTU/hr) Character. pollutants through this emission poin	Type of fuel used and heat input (see Instructions) Operating Percent of annual throughput of	[Change yes x no]	Characteristics 31.67 1.5 ft 700 7,200	Physical above grade (ft) discharge area (ft <sup>2</sup> ) temperatur conditions, not at standard (ft <sup>3</sup> /min)	Stack and Discharge Height of Stack Diameter (ft) or stack Stack gas Stack gas flow at process Stack gas flow at process (ft) sec
10	Dec-Feb					atur conditions, not at	as Stack gas flow at p
30	Mar-May	กts through this emย	t of annual throughp		7,200	standard (ft³/min)	process
50 10	-Aug Sep-Nov	ssion point	or or		66	<del></del>	(fbsec)
24	hrs/day	or mis point	Normal operating time	No mail analys			Stack gas exit velocity Date of (fusec) construction/modification
7	days/wk wk/yr			ting time			modification
7.2   Full Load	dyr	Rate	Operating	Normai	960 Hp	or tank capacity	(Max)

## Air Pollutant Specific Information

All Pollutalit opecific illioiniation								-	
Pollutant	Control	Control				Emission	Add, Change,	Concentration in gases	In gases
01000	Equipment Equipment	Equipment		Emission Rate		Estimation	or Delete	exiting at stack	lack
				C			Cado		
	Code	Efficiency	-			Method	Cour		
		•	Average (ibs/hr)	Maximum (lbs/hr)	Average (ibs/hr) Maximum (lbs/hr) Annual (tons/yr)				
Phonorhrone	300	0	0.001	0.001	. 0.001	ယ	Add		ppm by vol
r iciditilitate	600	,		222	230		Add		ppm by vo
Other VOC	000	0	0.396	0.390	0.236	,			200
Total Particulate (TSP)	000	0	0.522	0.522	0.313	3	Change		thur of the
									ppm by vo
									ppm by vo
									ppm by vo
									ov fq wdd
									ppm by vol
									1
									ppm by vo
									ppm by vo
									ppm by vo
									ppm by vol
		-							

Department of Environmental Quality	dat Oriality				SIDO	LOUISIANA					Thomso of Environ	
Air Quality Division	, 		SIN	GLE POIN	IT/AREA/	SINGLE POINT/AREA/VOLUME SOURCE	RCE		·	na De		Eluavi
P.O. Box 82135			Em	ission Inv	entory Q	Emission Inventory Questionnaire (EIQ)	<u></u>		_	Isla	LDEQ	70 T
Baton Rouge, LA 70884-2135	4-2135			fc	for Air Pollutants	utants	•			(0)		
(225) 765-0219									-	/		1
Company Name				Plant location	Plant location and name (if any)	Y)			Date of submittal	tial		
Louisiana Energy and Power Authority	nd Power Aut	hority		New Roa	New Roads Power Plant	lant				January 2008	2008	
Source ID number	Descriptive na	me of the eq	Descriptive name of the equipment served by this stack or vent	his stack or vent	Appro	Approximate location of stack or vent (see instructions on how to determine location of area sources)	lack or vent (se	e instructions	on how to de	termine locat	tion of area	sources)
C3	<u>.</u>	Ē	Unit No. 3 Engine	Ō	MTU	UTM zone no.	15 Horizo	Horizontal coordinate	nate		_ <del>_</del>	650.8 mE
							16 Verti	Vertical coordinate	ate		339	3396.9 mN
Stack and Discharge	Height of Stack	Diamete	Diameter (ft) or stack	Stack gas	Stack gas flow at process	w at process	Stack	Stack gas exit velocity Date of	Date of		Ope	Operating rate
Physical	above grade (ft)	discharg	discharge area (ft²)	temperatur		conditions, <u>not</u> at standard (ft <sup>3</sup> /min)	[Descri]	_	construction/modification	nodification		or tank capacity
Characteristics	<u>သ</u> . <b>5</b>	<u></u>	1.67 ft	700		12.000		91				600 Ho
[Changeyes_x_no]								,				7
Type of fue	used and hea	t input (se	Type of fuel used and heat input (see Instructions)			Percent of annual throughput of	ghput of	2	Normal operating time	ng time		Normal
Fuel Spe of the	or tuel	H	Heat Input (MM BTU/hr)		Character. po	pollutants through this emission point	emission point		of this point			Operating Rate
63	Natural Gas		5.93		₽	Dec-Feb Mar-May	S Gny-unr	Sep-Nov ha	hrs/day	days/wk w	wkłyr	
σ	No. 2 Diesel		5.94			10 30	50	10	24	7	7.2	Full Load
c											<u> </u>	
Air Pollutant Specific	nt Speci		Information	on		:						
Pollutant		Control	Control				Emission	Ad	Add, Change,	Con	Concentration in gases	in gases
		Equipment	Equipment		Emission Rate	Rate	Estimation		or Delete		exiting at stack	;tack
		Code	Efficiency				Method		Code			
			Þ	Average (lbs/hr) Maximum (lbs/hr)	Maximum (lbs	(hr) Annual (tons/yr)	3					
Particulate matter (PM <sub>10</sub> )		000	0	0.680	0.680	0.408	3		Change	-	_ -	gr/std ft <sup>3</sup>
Sulfur dioxide		000	0	5,994	5,994	3.597	ω		Change			ppm by vol
Nitrogen dioxide		000	0	37.984	37.984	22,790	ω		Change			ppm by vol
Carbon monoxide		000	0	13 77	13,769	8.262	s		Change			ppm by vo
Total VOC (including those listed below)	listed below)	000	0	0.878	0.878	0.527	3		Change	-		ppm by vol
Benzene		000	0	0.009	0.009	0.006	ω		Add			ppm by vol
Toluene		000	0	0.003	0.003	0.002	3	•	Add		_	ppm by vol
Xylenes		000	0	0.002	0.002	0.001	3		Add		_	ppm by vo
Propylene		000	0	0.033	0.033	0.020	ω		Add		_	ppm by vo
Formaldehyde		000	0	0.001	0.001	0.001	3		Add		_	ppm by vo
(Continued on next sheet)												ppm by vol

#### Department of Environmental Quality Air Quality Division P.O. Box 82135

### SINGLE POINT/AREA/VOLUME SOURCE Emission Inventory Questionnaire (EIQ) LOUISIANA



Louisiana Energy and Power Authority New Roads Power Plant
Source ID number Descriptive name of the equipment served by this stack or vent Approximat Baton Rouge, LA 70884-2135 (225) 765-0219 Plant location and name (If any) for Air Pollutants Date of submittal January 2008

Approximate location of stack or vent (see instructions on how to determine location of area sources)

ng time Normal Operating Rate	-		_	- 6			5.94	No. 2 Diese	ľ	
wklyr	24	10	ָאַ בי כ		<del></del> 1		5.93	Natural Gas	-	
	hrs/day da	Sep-Nov h	Jun-Aug	Dec-Feb Mar-May	<del>5</del> 1		F 00		1	
	of this point		is emission	pollutants through this emission point	Character. p		Heat Input (MM BTU/hr)	ffuel	Type of fuel	Fuel
	Normal operating time		oughput of	Percent of annual throughput of	Operating P		Type of fuel used and heat input (see Instructions)	used and heat i	Type of fuel	
_									yes_x_no]	[Change
1600 Hp		91		12,000	)0 	700	1.67 ft	31.5	tics	Characteristics
or time capacity	•••		2	temperatur conditions, not at standard (tt³/min)	eratur conditions,	tempe	discharge area (ft²)	above grade (ft)		Physical
	y Date of construction/modification	Stack gas exit velocity Date of (ft/sec)		Stack gas flow at process		Stack gas	Diameter (ft) or stack	Height of Stack	ischarge	Stack and Discharge
3396.9 mN	nate	6 Vertical coordinate	16 \					_		
650.8 mE	inate	Horizontal coordinate	15 Ho	UTM zone no.	UTI		Unit No. 3 Engine		C3 (Continued)	C3 (C

## מלווולם זו א

Air Pollutant Specific Information	HIC IN	Torma	TION						
Pollutant	Control	Control				Emission	Add, Change,	Concentration in gases	in gases
	Equipment Equipment	Equipment		Emission Rate		Estimation	or Delete	exiting at stack	stack
	Code	Efficiency				Method	Code		
			Average (lbs/hr)	Average (lbs/hr) Maximum (lbs/hr) Annual (tons/yr)	Annual (tons/yr)	املا			
	•					<u>γ</u>			
Phenanthrene	000	0	0.002	0.002	0.001	ı	Add		ppm by vol
Other VOC	000	0	0.827	0.827	0.497)	3	Add		ppm by vol
Total Particulate (TSP)	000	0	0.827	0.827	0.496	3	Change		ppm by vol
									ppm by vol
									ppm by voi
									ppm by vol
									ppm by vol
									ppm by vol
									ppm by vo
									ppm by vol
									ppm by vol
									ppm by vol

Note(s): The physical and operational data provided represents normal operations and best approximations of physical measurements:

			<u></u>	TOUCH III	Ellipsion inventory guestionnale (Fig	Cation	ialle (Li	£			10	TOP CO	7
Baton Rouge   4 70884-2135	35			•	: ;	•					0	はいかり	
	_			70	for Air Pollutants	itants					/		
(225) 765-0219											,		/
Company Name				Plant location	Plant location and name (if any)	3				Date of submittal	ita.		
Louisiana Energy and Power Authority	Power Autho	rity		New Road	New Roads Power Plant	ant					January 2008	/ 2008	
Source ID number	Descriptive name of the equipment served by this stack or vent	of the equip	ment served by t	his stack or vent	Approx	cimate loca	ition of stac	k or vent (s	ee instruction	Approximate location of stack or vent (see instructions on how to determine location of area sources)	stermine loca	ation of area	sources)
Ç		Unit	Unit No. 4 Engine	Ō	UTM 2	UTM zone no.	15		Horizontal coordinate	linate		-65 -	650.8 mE
								16 Ver	Vertical coordinate	nate		339	3396.9 mN
Stack and Discharge He	Height of Stack	Diameter (ft) or stack	t) or stack	Stack gas	Stack gas flow at process	at process		Stac	Stack gas exit velocity Date of	by Date of		Oper	Operating rate
Physical	above grade (ft)	discharge area (ft²)	(ft²)	temperatur	conditions, not at standard (ft <sup>3</sup> /min)	t at standarı	d (ft³/min)	1000	2		4	or un	or tank capacity
Characteristics	31.5		1.75 ft	700		18.000	0		125			24	_ 2400 Hp
[Cilarige yes x no)												-	
Type of fuel Heat Input (MM BTU)	el	Heat I	Heat Input (MM BTU/hr)			utants thro	pollulants through this emission point	ission pol		of this point	ú		Operating
a l	Natural Gas	_	9.06		Dec-Feb		Mar-May Ju	Jun-Aug	Sep-Nov	hra/day	days/wk	wklyr	
o No	No. 2 Diesel		9.07			<del></del>	30 	50	5	24	7	7.2 F	Full Load
Air Doll Host Cooping	2 22 2		Information	3			-						
Poliutant	Control	- 1	Control					Emission		Add, Change,	္မ	Concentration in gases	in gases
	Equ	Equipment E	Equipment		Emission Rate	ate		Estimation	<u> </u>	or Delete	<del></del>	exiting at stack	tack
	Code		Efficiency					Method		Code			
			آ ﴿	Average (lbs/hr) Maximum (lbs/hr)	Maximum (ibs/l	- 1	Annual (tons/yr)						
Particulate matter (PM <sub>10</sub> )		g	0	1.039	1 039		0.623	3		Change			gr/std ft <sup>3</sup>
Sultur dioxide		8	0	9.156	9.156	-	5,493	ω	·	Change			ppm by vol
Nitrogen dioxide		000	0	58.016	58.016		34.810	3		Change			ppm by vol
Carbon monoxide		000	0	21.03	21.031		12.618	3		Change			ppm by vol
Total VOC (including those listed below)		000	0	1.415	1.415 ′		0.849 ⅓	3		Change			ppm by vol
Benzene		000	0	0.014	0.014		0.008	3		Add			ppm by vol
Toluene		000	, 0	0.005	0.005		0.003	3		Add			ppm by vo
Xylenes		000	0	0.003	0,003		0.002	3		Add			ppm by vol
Propylene		000	0	0.051	0.051		0.030	3		Add			ppm by vol
Formaldehyde		000	0	0.001	0.001		0.001	ω		Add	! !		ppm by vo
(Continued on payt shoot)													ppm by vol

## Department of Environmental Quality Air Quality Division P.O. Box 82135 Baton Rouge, LA 70884-2135

(225) 765-0219

## LOUISIANA

## SINGLE POINT/AREA/VOLUME SOURCE Emission Inventory Questionnaire (EIQ) for Air Pollutants



[Change \_\_\_yes\_\_x\_no] Characteristics Physical Stack and Discharge Source ID number Company Name Louisiana Energy and Power Authority C4 (Continued) Type of fuel used and heat input (see Instructions) Height of Stack above grade (ft) Descriptive name of the equipment served by this stack or vent 31.5 discharge area (ft²) Diameter (ft) or stack Unit No. 4 Engine 1.75 ft **New Roads Power Plant** Plant location and name (if any) e (°F) temperatur Stack gas Operating conditions, not at standard (ft³/min) Stack gas flow at process Approximate location of stack or vent (see instructions on how to determine location of area sources) UTM zone no. Percent of annual throughput of 18,000 15 Horizontal coordinate Vertical coordinate Stack gas exit velocity Date of 125 Normal operating time construction/modification Date of submittal January 2008 or tank capacity 3396.9 mN Operating rate 650.8 mE 2400 Hp (Max) Normal

## Air Pollutant Specific Information

Fuel

Type of fuel

Heat Input (MM BTU/hr)

Character.

pollutants through this emission point

of this point

Operating

Rate

Natural Gas No 2 Diesel

9.06 9.07

6

30

50

9

24

7.2

Full Load

Jun-Aug

Sep-Nov

hrs/day

days/wk

ברים ברים ברים ברים ברים ברים ברים ברים									
Pollutant	Control	Control				Emission	Add, Change,	Concentration in gases	in gases
	Equipment Equipment	Equipment		Emission Rate		Estimation	or Delete	exiting at stack	stack
	Code	Efficiency		!		Method	Code		
			Average (lbs/hr)	Maximum (lbs/hr)	Average (lbs/hr) Maximum (lbs/hr) Annual (tons/yr)				
Phenanthrene	000	o	0.002	0.002	0.001	3	Add		ppm by vol
Other VOC	000	0	1.338	1.338	0.803	3	Add		ppm by vol
Total Particulate (TSP)	000	0	1.264	1.264	0.758	3	Change		ppm by vol
									ppm by vol
									ppm by vol
									ppm by vol
									ppm by vol
									ppm by vol
									ppm by vol
									ppm by vol

Note(s). The physical and operational data provided represents normal operations and best approximations of physical measurements

#### Department of Environmental Quality Air Quality Division P.O. Box 82135 Baton Rouge, LA 70884-2135

## LOUISIANA

## SINGLE POINT/AREA/VOLUME SOURCE Emission Inventory Questionnaire (EIQ) for Air Pollutants



					- 18:11 - CC05CC- 01:C -10:12 - 1: 8:17/		(VIII)				Care of Scottiffer	ILLER		_
Louisiana	a Ene	gy and	Louisiana Energy and Power Authority		New Roads Power Plant	Powe	er Plant					January 2008	2008	
Source (D number	mber		Descriptive nam	Descriptive name of the equipment served by this stack or vent	ack or vent	Α.	pproximate	Approximate location of stack		or vent (see instructions on how to determine location of area sources)	s on how to de	etermine loc	ation of an	nos ea.
	C5			Unit No. 5 Engine		_	UTM zone no.	no.	15 Ho	Horizontal coordinate	inate		σ.	650.8 mE
									16 \	16 Vertical coordinate	nate		ယ္	3396.9 mN
Stack and Discharge	)ischar		Height of Stack	Diameter (ft) or stack	Stack gas	Stack ga	Stack gas flow at process	2855		Stack gas exit velocity Date of	y Date of		Q.	Operating rate
_									_	(ft/sec)	construction/modification	modification		(Max)
Physical		*	above grade (ft)	discharge area (ft²)	temperatur e (°F)	conditio	ns, <u>not</u> at star	temperatur conditions, <u>not</u> at standard (ft <sup>3</sup> /min) e (°F)					9	or lank capacity
Characteristics	tics		31.5	1.75 ft	700		18	18,000		125			N)	2400 Hp
[Change	yes_x_no]	[no]												
	Type	of fuel us	sed and heat	Type of fuel used and heat input (see Instructions)	Operating	ing	Percent of	Percent of annual through	ughput of		Normal operating time	ing time		Normal
Fuel		Type of fuel	e <u>l</u>	Heat input (MM BTU/hr)	Character.	ter.	pollutants	pollutants through this emission point	s emission		of this point			Operating
	es l	2	Natural Gas	8.79			Dec-Feb	Mar-May	Jun-Aug	Sep-Nov T	hraiday	days/wk	widyr	
	5	Ž	Na. 2 Diesel	8.79			10	30	50	70	24	7	7.2	7.2 Full Load
	C													

## Air Pollutant Specific Information

			-						
Pollutant	Control	Control			,	Emission	Add, Change,	Concentration in gases	in gases
	Equipment	Equipment		Emission Rate		Estimation	or Delete	exiting at stack	stack
	Code	Efficiency				Method	Code		
			Average (ibs/hr)	Average (ibs/hr) Maximum (ibs/hr) Annual (tons/yr)	Annual (tons/yr)				
Particulate matter (PM <sub>10</sub> )	000	0	1.023	1.023	0.614	3	Change		gr/std ft <sup>3</sup>
Sulfur dioxide	000	0	9.014	9.014	5.409	3	Change		ppm by vol
Nitrogen dioxide	000	0	57.120	57.120	34.272	з	Change		ppm by vol
Carbon monoxide	000	0	20.71	20.706	12.424	3	Change		ppm by vo
Total VOC (including those listed below)	000	0	1:320	1.320	0.792	3	Change		ppm by vo
Benzene	000	0	0.014	0.014	0.008	3	Add		ppm by vol
Toluene	000	0	0.005	0,005	0.003	3	Add		ppm by vol
Xylenes	000	0	0.003	0.003	0.002	3	Add		ppm by vo
Propylene	000	0	0.050	0.050	0.030	3	Add		ppm by vol
Formaldehyde	000	0	0.001	0.001	0.001	3	Add		ррт бу чо
(Continued on next sheet)									ppm by vo

## Department of Environmental Quality Air Quality Division P.O. Box 82135

Baton Rouge, LA 70884-2135

(225) 765-0219

## LOUISIANA

## SINGLE POINT/AREA/VOLUME SOURCE Emission Inventory Questionnaire (EIQ) for Air Pollutants



Source ID number [Change yes x\_no] Characteristics Physical Stack and Discharge Company Name Fuel ouisiana Energy and Power Authority C5 (Continued) Type of fuel used and heat input (see Instructions) Type of fuel No. 2 Diesel **Natural Gas** Height of Stack above grade (ft) Descriptive name of the equipment served by this stack or vent 31.5 discharge area (ft²) Dlameter (ft) or stack Heat Input (MM BTU/hr) Unit No. 5 Engine 1.75 ft 8.79 8.79 New Roads Power Plant Plant location and name (if any) e (°F) temperatur conditions, not at standard (ft³/min) exit Stack gas Stack gas flow at process 700 Character. Operating Approximate location of stack or vent (see instructions on how to determine location of area sources) UTM zone no. pollutants through this emission point Percent of annual throughput of 5 18,000 Mar-May 30 5 Jun-Aug 5 Horizontal coordinate Vertical coordinate (ft/sec) Stack gas exit velocity Date of Sep-Nov 125 5 of this point hrs/day Normal operating time construction/modification Date of submittal 24 days/wk January 2008 wkyr 7.2 Operating rate (Max) or tank capacity 3396.9 mN 650.8 mE 2400 Hp Full Load Operating Normal Rate

Pollutant	Fouinment Faulpment						J -	
		Equipment		maission Date		Estimation	or Delete	exiting a
0	Code	Efficiency				Method	Code	
			Average (lbs/hr)	Average (lbs/hr) Maximum (lbs/hr) Annual (tons/yr)	Annual (tons/yr)			
					I			
Phenanthrene	900	0	0.002	0.002	0.001	. 3	Add	
Other VOC	000	0	1.244	1.244	0.747 0.74	6 3	Add .	
Total Particulate (TSP)	8	0	1.244	1.244	0.746	з	Change	
			,					
-								-
			,					
						-		

ppm by vol

ppm by vo

ppm by vol

ppm by vo

ppm by vo

ppm by vo

ppm by vo

n in gases

stack

										-	
Department of Environmental Quality	<del></del>		L	LOUISIANA	NA				E E E E E E E E E E E E E E E E E E E	Soprimont of English	ulion
Air Quality Division		S	<b>INGLE PO!!</b>	NT/AREA/VC	SINGLE POINT/AREA/VOLUME SOURCE	RCE			ena o	<b>1</b>	IEIU3
P.O. Box 82135		m	mission Inv	rentory Que	Emission Inventory Questionnaire (EIQ)	<u>EQ</u>			บารโล	LDEQ	- To
Baton Rouge, LA 70884-2135			<b>-</b> fi	for Air Pollutants	ants				\chi_		
(225),765-0219								-	/		
Company Name			Plant locatio	Plant location and name (If any)				Date of submittal	72		
Louisiana Energy and Power Authority	ver Authority		New Roa	New Roads Power Plant	₽				May 2008	8	
Source ID number Desc	riptive name of th	Descriptive name of the equipment served by this stack or vent	y this stack or vent		Approximate location of stack or		see instruction	vent (see instructions on how to determine location of area sources)	termine location	on of aréa :	sources)
CG		Unit No. 6 Engine	jine	UTM zone no.	one no.	15 Horiz	Horizontal coordinate	dinate		650	650.8 mE
						16 Ver	Vertical coordinate	nate		3396	3396.9 mN
Stack and Discharge Height	Height of Stack Dia	Dlameter (ft) or stack	Stack gas	Stack gas flow at process	t process	Stat	Stack gas exit velocity Date of	ty Date of	difference	Opera	Operating rate
Physical above s	above grade (ft) disc	discharge area (tt²)	e (°F)	temperatur   conditions, not at standard (ft³/min)	it standard (ft³/min)	10000	á c			or tank	or tank capacity
G.	43	1.67 ft	700		21,000		160	•		280	2800 Hp
Type of fuel used and heat input (see Instructions)	nd heat inpu	t (see Instruction	_ -	Operating Perce	Percent of annual throughput of	ghput of		Normal operating time	ng time	_ -	Normal
Fuel Type of fuel		Heat Input (MM BTU/h/)	(LIL)	•	pollutants through this emission point	emission po		of this point			Operating Rate
a Natur	Natural Gas	11.00		Dec-Fab	Mar-May	Bny-unf	Sep-Nov	hrs/day	daya/wk wk/yr	Jyr	
 	No. 2 Diesel	11.00		10	30	50	10	24	7	7.2 F	Full Load
n											
Air Pollutant Specific Information	pecific	Informa	tion								
Pollutant	Control	Control				Emission		Add, Change,	Conc	Concentration in gases	gases
	Equipment	ent Equipment Efficiency	·	Emission Rate	0	Estimation Method	On .	or Delete Code		exiting at stack	ack
			Average (lbs/hr)	Average (lbs/hr) Maximum (lbs/hr)	Annual (tons/yr)	3					
Particulate matter (PM: <sub>0</sub> )	000	0	1.261	1.261	0.756	3		Change			gr/std ft
Sulfur dioxide	000	0	11,110	11.110	6.666	3		Change			ppm by vol
Nitrogen dioxide	000	0	70.400	70.400	42.240	3		Change			ppm by vol
Carbon monoxide	000	0	25.52	25.520	15.312	3		Change		_	ppm by vol
Total VOC (including those listed below)	low) 000	0	1.628	1.628	0.977	3		Change			ppm by vol
Benzene	000	0	0.017	0.017	0.010	3		Add			ppm by vol
Toluene	000	0	0.006	0.006	0.004	3		Add			ppm by vol
Xylenes	000	0	0.004	0.004	0.003	3		Add		<del>-</del> -	ppm by vol
Propylene	000	0	0.061	0.061	0.037	3		Add			ppm by vol
Formaldehyde	000	0	0.002	0.002	0.001	ω		Add			ppm by vol
(Continued on next sheet)										 	ppm by vol

#### Department of Environmental Quality Air Quality Division P.O. Box 82135

Baton Rouge, LA 70884-2135

## LOUISIANA

### SINGLE POINT/AREA/VOLUME SOURCE Emission Inventory Questionnaire (EIQ) for Air Pollutants



Company Name (225) 765-0219 Plant location and name (if any) Dande Power Plant Date of submittal May 2008

li onisiana Energy and Power Authority	d Power Autho		New Roads Power Plant	Power P	ant					INICA COOC		
Source ID number	Descriptive name	Descriptive name of the equipment served by this stack or vent	ck or vent	Appro	ximate lo	Approximate location of stack or vent	ack or ven	t (see instructions on how to determine location of area sources,	on how to de	termine locat	ion of area	a sources)
Ca (Continued)		Unit No. 6 Engine		CTM	UTM zone no.	y	15 Ho	Horizontal coordinate	inate		-62-	650,8 mE
oo (oollallaca)		9			9	ì		Vertical coordinate	ate		33:	3396.9 mN
	Height of Stack	Diameter (ft) or stack	Stack gas S	Stack gas flow at process	w at proces	S	S	Stack gas exit velocity Date of	Date of		Ope	Operating rate
Stack and Discharge		Control of the control					=	(ft/sec)	construction/modification	odification		(Max)
Physical	above grade (ft)	discharge area (ft²)	temperatur conditions, not at standard (ft/min)	onditions, <u>n</u> e	ot at standa	ard (ft³/mln)	-				<u>2</u>	OF LATEX CAPACITY
Characteristics	43	1.67 ft	700		21,000	00		160			i∑-	2800 Hp
[Change yes x no]			-							*   	-	No.
Type of fuel	used and heat ir	Type of fuel used and heat input (see Instructions)	Operating		cent of a	Percent of annual throughput of	ighput of		Normal operating time	ng cime		Operating
Fuel Type of fuel	fuei	Heat Input (MM BTU/hr)	Character.		Jutants th	pollutants through this emission point	emission		or this point			Rate
1	Natural Can	11 00		P	Dec-Feb N	Mar-May	Jun-Aug	Sep-Nov 1	hrs/day	days/wk v	wk/yr	
	Maral of Cas				; _	)	)	<u>,</u>	<b>3</b>	7	7 2	7.0   Full 1 0ad
g	No. 2 Diesel	11.00			10	30	Ö	Ē	24	_		רטמט

x no	ć	;	,		-					_	
pe of fuel us	ed and heat in	pe of fuel used and heat input (see Instructions)	Operating	Percent of	Percent of annual throughput of	ghput of		Normal operating time	ing time		Normal
Type of fuel	el	Heat Input (MM BTU/hr)	Character.	pollutants	pollutants through this emission point	emission po	•	of this point			Rate
			<u> </u>						data had	klor	
Z	Natural Gas	11.00		Dec-Feb	Dec-Feb Mar-May Jun-Aug Sep-Nov	Jun-Aug			1 2	 1	1
z	No. 2 Diesel	11.00		10	30	50	10	24	`	. / . /	י ב   דעוו בטפט
											_

## Air Pollutant Specific Information

All Pollutalit operate illiviniation								•	
Poliutant	Control	Control			•	Emission	Add, Change,	Concentration in gases	in gases
	Equipment	Equipment		Emission Rate		Estimation	or Delete	exiting at stack	Stack
	Code	Efficiency				Method	Code		
: '			Average (lbs/hr)	Maximum (lbs/hr)	Average (lbs/hr) Maximum (lbs/hr) Annual (tons/yr)				
•									
Acetaldehyde	000	0	0.001	0.001	<0.001	ω	Add		ppm by voi
Naphthalene	000	0	0.003	0.003	0.002	3	Add		ppm by vo
Phenanthrene	000	0	0.001	0.001	0.001	3	Add		ppm by vo
Other VOC	000	0	1.533	1.533	0.920	3	Add	ļ	ppm by vo
Total Particulate (TSP)	000	0	1.533	1.533	0.920	3	Change		ppm by vol
Total discount (100)									ppm by vol
									ppm by vol
	+								ppm by vol
									ppm by vol
									ppm by val
									ppm by vol
	-								ppm by vol
	-								

Note(s): The physical and operational data provided represents normal operations and best approximations of physical measurements.

#### ATTENDANCE RECORD

DATE: 712108		TIME: 10:30
NAME	REPRESENTING	PHONE #
1. Kermit Wittenburg	LOEU ais Permits	225-219-3180
2. David Lemoise	csh	225-275-5131
3. Phil Curwick	CSG.	225-275-513/
4. KAVIN BLYM	LEPA	337-269-4046
5. Share Clary	DEQ	225-219-3069
6. Garass.	bea	225-219-3490
7.		
8.	·	
9.		
10.		
11.		·
12.		
13.		
14.	·	
15.		
16.	·	
17.		
18.		
19.		
20.		
21.		
22.		

New Roads Diesel Plant Historical Runtime (2003 - 2007)

	2003	2004	2005	2006	2007	TOTAL	Runtime %
Unit 1	10	16	53	23	38	140	0.32%
Unit 2	10	1	43	8	33	105	0.24%
Unit 3	5	. &	45	7	36	101	0.23%
Unit 4	11	12	44	14	35	116	0.26%
Unit 5	6	16	49	8	32	114	0.26%
Unit 6	7	6	45	11	36	108	0.25%
TOTAL	52	72	279	71	210		
Runtime %	0.12%	0.16%	0.64%	0.16%	0.48%		